

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

[Absence of an entry indicates that a conservation tree/shrub suitability group is not assigned]

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 8B: | | |
| Sparta | 90 | 7 |
| Dassel | 5 | --- |
| Darfur | 5 | --- |
| 8C: | | |
| Sparta | 90 | 7 |
| Darfur | 10 | --- |
| 8D: | | |
| Sparta | 90 | 7 |
| Darfur | 10 | --- |
| 35: | | |
| Blue Earth | 95 | 2 |
| Canisteo | 5 | --- |
| 39A: | | |
| Wadena | 90 | 6g |
| Biscay | 10 | --- |
| 41A: | | |
| Estherville | 90 | 7 |
| Biscay | 10 | --- |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--------------------------------|---------------------|--|
| 85: | | |
| Calco, occasionally flooded | 90 | 2k |
| Havelock | 10 | --- |
| 86: | | |
| Canisteo | 85 | 2k |
| Glencoe | 10 | --- |
| Seaforth | 5 | --- |
| 96B: | | |
| Collinwood | 85 | 4 |
| Waldorf | 10 | --- |
| Lura | 5 | --- |
| 101B: | | |
| Truman | 85 | 3 |
| Madelia | 10 | --- |
| Okoboji | 5 | --- |
| 102B: | | |
| Clarion | 85 | 3 |
| Webster | 10 | --- |
| Glencoe | 5 | --- |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 102B: | | |
| 106C2: | | |
| Lester, eroded | 85 | 3 |
| Cordova | 10 | --- |
| Glencoe | 5 | --- |
| 112: | | |
| Harps | 85 | 2k |
| Seaforth | 5 | --- |
| Okoboji | 5 | --- |
| Glencoe | 5 | --- |
| 113: | | |
| Webster | 85 | 2 |
| Glencoe | 10 | --- |
| Nicollet | 5 | --- |
| 114: | | |
| Glencoe, depressional | 90 | 2 |
| Klossner | 5 | --- |
| Canisteo | 5 | --- |
| 129: | | |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-------------------------------|---------------------|--|
| 129: Cylinder | 85 | 1 |
| Biscay | 10 | --- |
| Wadena | 5 | --- |
| 130: Nicollet | 85 | 1 |
| Webster | 10 | --- |
| Glencoe | 5 | --- |
| 134: Okoboji, depressional | 85 | 2 |
| Klossner | 5 | --- |
| Harps | 5 | --- |
| Canisteo | 5 | --- |
| 136: Madelia | 85 | 2 |
| Okoboji | 10 | --- |
| Spicer | 5 | --- |
| 140: Spicer | 85 | 2k |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|------------------------------|---------------------|--|
| 140: Madelia | 10 | --- |
| Okoboji | 5 | --- |
| 143B: Chelsea | 90 | 7 |
| Granby | 10 | --- |
| 178: Granby | 85 | 2 |
| Darfur | 10 | --- |
| Dassel | 5 | --- |
| 181: Litchfield | 85 | 1 |
| Darfur | 10 | --- |
| Dassel | 5 | --- |
| 183: Dassel, depressional | 85 | 2 |
| Darfur | 10 | --- |
| Litchfield | 5 | --- |
| 197: Kingston | 90 | 1 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 197: | | |
| Okoboji | 5 | --- |
| Madelia | 5 | --- |
| 211: | | |
| Lura, depressional | 90 | --- |
| Cosmos | 5 | --- |
| Corvuso | 5 | --- |
| 229: | | |
| Waldorf | 90 | 2 |
| Lura | 5 | --- |
| Collinwood | 5 | --- |
| 239: | | |
| Le Sueur | 85 | 1 |
| Cordova | 10 | --- |
| Glencoe | 5 | --- |
| 281: | | |
| Darfur | 85 | 2 |
| Dassel | 10 | --- |
| Litchfield | 5 | --- |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 281: | | |
| 286B: | | |
| Shorewood | 85 | 4c |
| Waldorf | 10 | --- |
| Okoboji | 5 | --- |
| 311C2: | | |
| Shorewood, eroded | 85 | 4c |
| Waldorf | 10 | --- |
| Bold | 5 | --- |
| 327A: | | |
| Dickman | 90 | 7 |
| Litchfield | 5 | --- |
| Darfur | 5 | --- |
| 327B: | | |
| Dickman | 85 | 7 |
| Litchfield | 10 | --- |
| Darfur | 5 | --- |
| 399: | | |
| Biscay, depressional | 85 | 2 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--------------------------------|---------------------|--|
| 399: Mayer | 10 | --- |
| Klossner | 5 | --- |
| 415: Kanaranzi | 85 | 6g |
| Biscay | 10 | --- |
| Cylinder | 5 | --- |
| 423: Seaforth | 85 | 1k |
| Canisteo | 10 | --- |
| Glencoe | 5 | --- |
| 511: Marcellon | 85 | 1 |
| Uniongrove | 10 | --- |
| Lundlake | 5 | --- |
| 523: Houghton, depressional | 90 | 2h |
| Klossner | 10 | --- |
| 525: Muskego, depressional | 90 | 2h |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 525: | | |
| Blue Earth | 10 | --- |
| 539: | | |
| Klossner, depressional | 90 | 2h |
| Okoboji | 10 | --- |
| 548: | | |
| Medo, depressional | 90 | 2h |
| Dassel | 10 | --- |
| 610: | | |
| Calco, frequently flooded | 90 | 2k |
| Havelock | 10 | --- |
| 611D: | | |
| Hawick | 85 | 7 |
| Minneopa | 10 | --- |
| Biscay | 5 | --- |
| 612B: | | |
| Wadenill | 85 | 3 |
| Uniongrove | 10 | --- |
| Lundlake | 5 | --- |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-------------------------------|---------------------|--|
| 613: | | |
| Grovecity | 85 | 1 |
| Uniongrove | 10 | --- |
| Lundlake | 5 | --- |
| 664: | | |
| Zook, occasionally flooded | 90 | 2 |
| Calco | 10 | --- |
| 740: | | |
| Hamel | 70 | 2 |
| Glencoe, depressional | 20 | 2 |
| Le Sueur | 10 | --- |
| 804B: | | |
| Koronis | 50 | 3 |
| Sunburg | 20 | 3 |
| Hawick | 15 | 7 |
| Uniongrove | 10 | --- |
| Lundlake | 5 | --- |
| 804C2: | | |
| Koronis, eroded | 45 | 3 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 804C2: | | |
| Sunburg, eroded | 25 | 3 |
| Hawick, eroded | 15 | 7 |
| Forestcity | 10 | --- |
| Lundlake | 5 | --- |
| 804D2: | | |
| Koronis, eroded | 40 | 3 |
| Sunburg, eroded | 35 | 3 |
| Hawick, eroded | 15 | 7 |
| Forestcity | 10 | --- |
| 804E: | | |
| Koronis | 50 | 3 |
| Sunburg | 25 | 3 |
| Hawick | 15 | 7 |
| Forestcity | 10 | --- |
| 805C2: | | |
| Sunburg, eroded | 50 | 3 |
| Wadenill, eroded | 40 | 3 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 805C2: | | |
| Lundlake | 5 | --- |
| Forestcity | 5 | --- |
| 805D2: | | |
| Sunburg, eroded | 65 | 3 |
| Wadenill, eroded | 25 | 3 |
| Forestcity | 10 | --- |
| 875B: | | |
| Estherville | 60 | 7 |
| Hawick | 30 | 7 |
| Biscay | 10 | --- |
| 875C: | | |
| Hawick | 60 | 7 |
| Estherville | 25 | 7 |
| Biscay | 10 | --- |
| Minneopa | 5 | --- |
| 887B: | | |
| Clarion | 70 | 3 |
| Swanlake | 20 | 3 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 887B: | | |
| Webster | 5 | --- |
| Glencoe | 5 | --- |
| 899: | | |
| Haps | 60 | 2k |
| Okoboji, depressional | 30 | 2 |
| Seaforth | 10 | --- |
| 909C2: | | |
| Bold, eroded | 55 | 3 |
| Truman, eroded | 35 | 3 |
| Okoboji | 5 | --- |
| Madelia | 5 | --- |
| 909D2: | | |
| Bold, eroded | 65 | 3 |
| Truman, eroded | 25 | 3 |
| Madelia | 10 | --- |
| 920B: | | |
| Clarion | 50 | 3 |
| Storden | 20 | 3 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 920B: | | |
| Hawick | 15 | 7 |
| Webster | 10 | --- |
| Glencoe | 5 | --- |
| 945D2: | | |
| Lester, eroded | 70 | 3 |
| Storden, eroded | 20 | 3 |
| Hamel | 10 | --- |
| 945E: | | |
| Lester | 70 | 3 |
| Storden | 20 | 3 |
| Hamel | 10 | --- |
| 956: | | |
| Canisteo | 65 | 2k |
| Glencoe, depressional | 25 | 2 |
| Seaforth | 10 | --- |
| 960C2: | | |
| Storden, eroded | 65 | 3 |
| Omsrud, eroded | 25 | 3 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 960C2: | | |
| Hamel | 10 | --- |
| 960D2: | | |
| Storden, eroded | 65 | 3 |
| Omsrud, eroded | 25 | 3 |
| Hamel | 10 | --- |
| 978: | | |
| Cordova | 60 | 2 |
| Rolfe, depressional | 30 | 2 |
| Glencoe | 10 | --- |
| 1015: | | |
| Udipsamments | 85 | 10 |
| 1016: | | |
| Udorthents, loamy | 85 | 10 |
| 1030: | | |
| Udipsamments | 50 | 10 |
| Pits, gravel | 50 | 10 |
| 1080: | | |
| Okoboji, ponded | 30 | 10 |
| Klossner, ponded | 30 | 10 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 1080: | | |
| Glencoe, ponded | 30 | 10 |
| Canisteo | 10 | --- |
| 1096: | | |
| Fieldon | 70 | 2k |
| Dassel, depressional | 20 | 2 |
| Litchfield | 10 | --- |
| 1097: | | |
| Mayer | 70 | 2k |
| Biscay, depressional | 20 | 2 |
| 1098: | | |
| | | --- |
| 1099: | | |
| Granby, very wet | 85 | 2 |
| Klossner | 5 | --- |
| Fieldon | 5 | --- |
| Darfur | 5 | --- |
| 1100: | | |
| Nicollet | 85 | 1 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 1100: Webster | 10 | --- |
| Okoboji | 5 | --- |
| 1101: Webster | 85 | 2 |
| Okoboji | 10 | --- |
| Nicollet | 5 | --- |
| 1159B: Strout | 70 | 4 |
| Arkton | 20 | 1k |
| Lura | 5 | --- |
| Cosmos | 5 | --- |
| 1162A: Kandiyohi | 80 | 4c |
| Lura | 10 | --- |
| Cosmos | 10 | --- |
| 1162B: Kandiyohi | 80 | 4c |
| Lura | 10 | --- |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--|---------------------|--|
| 1162B: Cosmos | 10 | --- |
| 1163: Cohoctah, frequently flooded | 90 | 2 |
| Havelock | 10 | --- |
| 1165: Lundlake, depressional | 85 | 2 |
| Swedegrove | 10 | --- |
| Grovecity | 5 | --- |
| 1169: Corvuso | 60 | 2k |
| Lura, depressional | 30 | 2 |
| Kandiyohi | 10 | --- |
| 1171C: Strout, eroded | 45 | 4 |
| Newlondon, eroded | 45 | 1k |
| Danielson | 10 | --- |
| 1172C: Sparta | 70 | 7 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|---|---------------------|--|
| 1172C: Gardencity | 20 | 5 |
| Darfur | 10 | --- |
| 1173: Muskego, frequently flooded | 45 | 10 |
| Klossner, frequently flooded | 45 | 10 |
| Okoboji | 5 | --- |
| Calco | 5 | --- |
| 1174: Danielson | 85 | 2 |
| Lura | 10 | --- |
| Strout | 5 | --- |
| 1175: Swedegrove | 90 | 2k |
| Lundlake | 10 | --- |
| 1176: Litchfield | 85 | 1 |
| Darfur | 10 | --- |
| Dassel | 5 | --- |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-------------------------------|---------------------|--|
| 1176: | | |
| 1177C: | | |
| Gardencity, eroded | 70 | 5 |
| Bold, eroded | 20 | 3 |
| Madelia | 5 | --- |
| Darfur | 5 | --- |
| 1178: | | |
| Uniongrove | 85 | 2 |
| Lundlake | 10 | --- |
| Swedegrove | 5 | --- |
| 1184: | | |
| Corvuso | 85 | 2k |
| Cosmos | 10 | --- |
| Lura | 5 | --- |
| 1185: | | |
| Gardencity, moderately wet | 85 | 5 |
| Darfur | 10 | --- |
| Dassel | 5 | --- |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------------|---------------------|--|
| 1193: | | |
| Cosmos | 85 | 2 |
| Lura | 10 | --- |
| Corvuso | 5 | --- |
| 1197: | | |
| Cohoctah, occasionally flooded | 90 | 1 |
| Havelock | 10 | --- |
| 1203: | | |
| Muskego, ponded | 30 | 10 |
| Houghton, ponded | 30 | 10 |
| Blue Earth, ponded | 30 | 10 |
| Okoboji | 10 | --- |
| 1204B: | | |
| Reedslake | 85 | 3 |
| Cordova | 10 | --- |
| Glencoe | 5 | --- |
| 1213C: | | |
| Cokato, eroded | 70 | 3 |
| Storden, eroded | 20 | 3 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|------------------------------|---------------------|--|
| 1213C: | | |
| Hamel | 5 | --- |
| Glencoe | 5 | --- |
| 1220C: | | |
| Cokato, eroded | 55 | 3 |
| Storden, eroded | 20 | 3 |
| Hawick, eroded | 15 | 7 |
| Hamel | 5 | --- |
| Glencoe | 5 | --- |
| 1356: | | |
| Water, miscellaneous | 100 | --- |
| 1383A: | | |
| Shorewood, moderately wet | 90 | 4 |
| Waldorf | 5 | --- |
| Rolfe | 5 | --- |
| 1384: | | |
| Minneopa | 85 | 1 |
| Biscay | 10 | --- |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--|---------------------|--|
| 1384: Estherville | 5 | --- |
| 1385: Havelock, frequently flooded | 90 | 2k |
| Calco | 10 | --- |
| 1387A: Collinwood, moderately wet | 90 | 4 |
| Waldorf | 5 | --- |
| Rolfe | 5 | --- |
| 1391B: Wadenill | 70 | 3 |
| Sunburg | 20 | 3 |
| Uniongrove | 5 | --- |
| Lundlake | 5 | --- |
| 1406: Medo, ponded | 30 | 10 |
| Dassel, ponded | 30 | 10 |
| Biscay, ponded | 30 | 10 |
| Houghton | 10 | --- |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-----------------------------|---------------------|--|
| 1406: | | |
| 1801B: | | |
| Gardencity | 85 | 5 |
| Truman | 5 | --- |
| Sparta | 5 | --- |
| L13A: | | |
| Klossner, drained | 80 | 2h |
| L33A: | | |
| Kandiyohi | 80 | 4c |
| L33B: | | |
| Kandiyohi | 80 | 4c |
| L34A: | | |
| Cosmos | 85 | 2 |
| L83A: | | |
| Webster | 65 | 2 |
| L84A: | | |
| Glencoe, depressional | 80 | 2 |
| L85A: | | |
| Nicollet | 85 | 1 |
| L107A: | | |
| Canisteo | 50 | 2k |
| Glencoe, depressional | 35 | 2 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--|---------------------|--|
| L107A: | | |
| L163A: | | |
| Okoboji, depressional | 92 | 2k |
| L164A: | | |
| Lura, firm substratum, depressional | 90 | 2 |
| L166C2: | | |
| Strout, moderately eroded | 45 | 4 |
| Newlondon, moderately eroded | 45 | 1k |
| L166D2: | | |
| Newlondon, moderately eroded | 65 | 1k |
| Strout, moderately eroded | 25 | 4 |
| L179A: | | |
| Corvuso | 60 | 2k |
| Lura, firm substratum, depressional | 30 | 2 |
| L184A: | | |
| Corvuso | 85 | 2k |
| L185B: | | |
| Strout | 70 | 4 |
| Arkton | 20 | 1k |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--|---------------------|--|
| L186A: | | |
| Danielson | 70 | 2 |
| Danielson, overwash | 20 | 2 |
| L187A: | | |
| Lura, firm substratum, ponded | 45 | 10 |
| Klossner, firm substratum, ponded | 45 | 10 |
| L191A: | | |
| Klossner, firm substratum, ponded | 30 | 10 |
| Houghton, firm substratum, ponded | 30 | 10 |
| Blue Earth, firm substratum, ponded | 30 | 10 |
| L199A: | | |
| Muskego, drained, firm substratum | 45 | 2h |
| Klossner, drained, firm substratum | 40 | 2h |
| L200A: | | |
| Klossner, drained, firm substratum | 80 | 2h |
| L204C2: | | |
| Newlondon | 55 | 1k |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|---|---------------------|--|
| L204C2: Strout | 20 | 4 |
| Hawick | 18 | 7 |
| L204D2: Newlondon | 60 | 1k |
| Strout | 20 | 4 |
| Hawick | 15 | 7 |
| L205A: Blue Earth, drained, firm substratum | 95 | 2 |
| L206B: Strout | 60 | 4 |
| Arkton | 20 | 1k |
| Estherville | 15 | 7 |
| L210F: Arkton | 60 | 1k |
| Strout | 30 | 3 |
| L307B: Koronis | 80 | 3 |
| L307C2: Koronis, moderately eroded | 75 | 3 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--------------------------------|---------------------|--|
| L307C2: | | |
| L307E: | | |
| Koronis | 75 | 3 |
| L315C2: | | |
| Sunburg, moderately eroded | 35 | 3 |
| Wadenill, moderately eroded | 30 | 3 |
| Hawick | 20 | 7 |
| L315D2: | | |
| Sunburg, moderately eroded | 35 | 3 |
| Wadenill, moderately eroded | 30 | 3 |
| Hawick | 20 | 7 |
| L317A: | | |
| Barry | 85 | 2 |
| L318A: | | |
| Lundlake | 85 | 2 |
| L319A: | | |
| Swedegrove | 65 | 2k |
| Lundlake | 20 | 2 |
| L320A: | | |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--|---------------------|--|
| L320A: Muskego, frequently flooded | 45 | 10 |
| Klossner, frequently flooded | 45 | 10 |
| L321A: Swedegrove | 85 | 2k |
| L322A: Uniongrove | 80 | 2 |
| L323A: Crowriver | 90 | 2k |
| L324A: Forestcity, overwash | 45 | 2 |
| Forestcity | 40 | 2 |
| L325A: Crowriver | 45 | 2k |
| Lundlake | 35 | 2 |
| L326B: Rohrbeck | 55 | 3 |
| Koronis | 35 | 3 |
| L330A: Muskego, ponded | 30 | 10 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|---|---------------------|--|
| L330A: | | |
| Houghton, ponded | 30 | 10 |
| Blue Earth, ponded | 30 | 10 |
| L331A: | | |
| Klossner, drained, lundlake catena | 80 | 2h |
| L332A: | | |
| Blue Earth, lundlake catena | 90 | 2 |
| L334A: | | |
| Muskego, surface drained | 40 | 10 |
| Houghton, surface drained | 40 | 10 |
| L335A: | | |
| Klossner, surface drained, lundlake catena | 65 | 10 |
| Klossner, drained, lundlake catena | 20 | 2h |
| L336A: | | |
| Arctander, overwash | 45 | 1 |
| Arctander | 35 | 2 |
| L337B: | | |
| Wadenill | 65 | 3 |
| Sunburg | 20 | 3 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--------------------------------------|---------------------|--|
| L337B: | | |
| L340B: | | |
| Wadenill | 50 | 3 |
| Sunburg | 25 | 3 |
| Hawick | 15 | 7 |
| L345A: | | |
| Seaforth, lundlake catena | 75 | 3 |
| L347A: | | |
| Klossner, lundlake catena, ponded | 50 | 10 |
| Lundlake, ponded | 45 | 10 |
| L350A: | | |
| Marcellon | 85 | 1 |
| L351A: | | |
| Houghton, drained | 80 | 2h |
| L352A: | | |
| Muskego, drained, lundlake catena | 90 | 2h |
| L353B: | | |
| Wadenill | 80 | 3 |
| L354A: | | |
| Grovecity | 75 | 1 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|-------------------------------|---------------------|--|
| L355B: | | |
| Koronis | 50 | 3 |
| Sunburg | 20 | 3 |
| Hawick | 15 | 10 |
| L355C2: | | |
| Koronis, moderately eroded | 45 | 3 |
| Sunburg, moderately eroded | 25 | 3 |
| Hawick | 15 | 10 |
| L355D2: | | |
| Koronis, moderately eroded | 40 | 3 |
| Sunburg, moderately eroded | 30 | 3 |
| Hawick | 15 | 7 |
| L355E: | | |
| Koronis | 50 | 3 |
| Sunburg | 20 | 3 |
| Hawick | 15 | 7 |
| L356C2: | | |
| Sunburg, moderately eroded | 60 | 3 |

Conservation Tree/Shrub Suitability Groups (MN)

Meeker County, Minnesota

| Map symbol and soil name | Pct. of map unit | Conservation tree/shrub suitability group |
|--------------------------------|---------------------|--|
| L356C2: | | |
| Wadenill, moderately eroded | 30 | 3 |
| L356D2: | | |
| Sunburg, moderately eroded | 70 | 3 |
| Wadenill, moderately eroded | 20 | 3 |
| L357B: | | |
| Koronis | 60 | 3 |
| Sunburg | 20 | 3 |
| L357C2: | | |
| Koronis, moderately eroded | 60 | 3 |
| Sunburg, moderately eroded | 20 | 3 |
| L357D2: | | |
| Koronis, moderately eroded | 65 | 3 |
| Sunburg, moderately eroded | 20 | 3 |
| W: | | |
| Water | 100 | --- |